



CERTIFICATE

— OF COMPLIANCE —

This certificate is presented to

Software House

for

C-Cure PSIA Adapter

The Product has successfully passed the Physical Security Interoperability Alliance compliance tests and therefore is certified as PLAI compatible Adapter.

14-10-2019

Date

A handwritten signature in black ink, which appears to read "David P. Bungle". The signature is written in a cursive style and is positioned above a horizontal line.

Signature



PSIA Compliance Tool Report

1. General Information

1.1 General Details

Tool executed scripts:	jython-script/PLAIBase
IP address:	192.168.170.128
Username:	Simon
Domain:	QA-DESKTOP
Tool version:	3.1
Report generated:	Mon Oct 14 14:50:30 BST 2019



2. Report Details

2.1 Script Status Result Details

Script Name	Status	Error	HashCode
AreaControl/CredentialHolders/info	SUCCESS	Missing non mandatory element: CreationDate Missing non mandatory element: ActiveFrom	
AreaControl/Credentials/info	SUCCESS	No Errors	
AreaControl/Credentials/state	SUCCESS	No Errors	
CSEC/deviceOwnership	SUCCESS	No Errors	
CSEC/deviceOwnership/Reset	SUCCESS	No Errors	
Metadata/Stream	SUCCESS	No Errors	
profile	SUCCESS	Missing non mandatory element: nodeDescription	

2.2 User Settings

Script Name	Status
System/Network/Interfaces	SecondaryDNSV6 : fe80::61cd:d6a5:90e2:352d%10 subnetMask : 255.255.255.0 SecondaryDNS : 192.168.0.5 bitMask : 1.0.0.1 enableMulticast : true PrimaryDNS : 192.168.0.5 PrimaryDNSV6 : fe80::61cd:d6a5:90e2:352d%10 DefaultGateway : 192.168.0.5 changeIp : 192.168.0.15 enableUPnP : true WAIT_TIME : 30 DefaultGatewayV6 : fe80::61cd:d6a5:90e2:352d%10 IP_6 : fe80::61cd:d6a5:90e2:352d%10

AreaControl/Credentials/state	Description : 'User 7' Card_ID : 1019909 PermissionID : 1
CSEC/AAA/users	UserCODE_ID : 1 NEWPASSWORD : pass CODE : 109 PASSWORD : password UPDATE_NAME : NewUser1 CODEClass : INTRUSION USER_NAME : NewUser UserPermissionGroupId : 1
AreaControl/Devices/Outputs/info	EXTERNAL : false
AreaControl/configuration	device_name : ip1223 IP_Address : 192.168.0.1
AreaControl/Devices/Inputs/info	EXTERNAL : false
System/reboot/time	Wait_Time : 30 RebootDelay_Millisecs : 10000
AreaControl/Devices/Outputs/instanceDescription	EXTERNAL : false
System/reboot	Sleep_Time : 30
AreaControl/Credentials/info	Description : 'User 2' Card_ID : 101231 PermissionID : 1

HashCode of entire scripts: da39a3ee5e6b4b0d3255bfef95601890afd80709

Script Status - Total Script(s) : 7 , Successful Script(s) : 7 , Failed Script(s) : 0



CERTIFICATE

— OF COMPLIANCE —

This certificate is presented to

Software House

for

C-Cure PSIA Adapter

The Product has successfully passed the Physical Security Interoperability Alliance compliance tests and therefore is certified as PLAI compatible Adapter.

14-10-2019

Date

A handwritten signature in black ink, which appears to read "David P. Bunge". The signature is written in a cursive style and is positioned above a horizontal line.

Signature



PSIA Compliance Tool Report

1. General Information

1.1 General Details

Tool executed scripts:	jython-script/PLAI-FunctionalRolesOption
IP address:	192.168.170.128
Username:	Simon
Domain:	QA-DESKTOP
Tool version:	3.1
Report generated:	Mon Oct 14 15:03:48 BST 2019



2. Report Details

2.1 Script Status Result Details

Script Name	Status	Error	HashCode
AreaControl/CredentialHolders/info	SUCCESS	Missing non mandatory element: CreationDate Missing non mandatory element: ActiveFrom	
AreaControl/Credentials/info	SUCCESS	No Errors	
AreaControl/Credentials/state	SUCCESS	No Errors	
AreaControl/Roles/info	SUCCESS	No Errors	
CSEC/deviceOwnership	SUCCESS	No Errors	
CSEC/deviceOwnership/Reset	SUCCESS	No Errors	
Metadata/Stream	SUCCESS	No Errors	
profile	SUCCESS	Missing non mandatory element: nodeDescription	

2.2 User Settings

Script Name	Status
-------------	--------

System/Network/Interfaces	SecondaryDNSV6 : fe80::61cd:d6a5:90e2:352d%10 subnetMask : 255.255.255.0 SecondaryDNS : 192.168.0.5 bitMask : 1.0.0.1 enableMulticast : true PrimaryDNS : 192.168.0.5 PrimaryDNSV6 : fe80::61cd:d6a5:90e2:352d%10 DefaultGateway : 192.168.0.5 changeIp : 192.168.0.15 enableUPnP : true WAIT_TIME : 30 DefaultGatewayV6 : fe80::61cd:d6a5:90e2:352d%10 IP_6 : fe80::61cd:d6a5:90e2:352d%10
AreaControl/Credentials/state	Description : 'User 7' Card_ID : 1019909 PermissionID : 1
CSEC/AAA/users	UserCODE_ID : 1 NEWPASSWORD : pass CODE : 109 PASSWORD : password UPDATE_NAME : NewUser1 CODEClass : INTRUSION USER_NAME : NewUser UserPermissionGroupId : 1
AreaControl/Devices/Outputs/info	EXTERNAL : false
AreaControl/configuration	device_name : ip1223 IP_Address : 192.168.0.1
AreaControl/Devices/Inputs/info	EXTERNAL : false
System/reboot/time	Wait_Time : 30 RebootDelay_Millisecs : 10000
AreaControl/Devices/Outputs/instanceDescription	EXTERNAL : false
System/reboot	Sleep_Time : 30
AreaControl/Credentials/info	Description : 'User 2' Card_ID : 101231 PermissionID : 1

HashCode of entire scripts: da39a3ee5e6b4b0d3255bfef95601890afd80709

Script Status - Total Script(s) : 8 , Successful Script(s) : 8 , Failed Script(s) : 0