



CERTIFICATE

— OF COMPLIANCE —

This certificate is presented to

Siemens Smart Infrastructure

for

SiPass integrated

The Product has successfully passed the Physical Security Interoperability Alliance compliance tests and therefore is certified as PLAI compatible Adapter.

18-06-2020

Date

A handwritten signature in black ink, which appears to read "David P. Bunge". The signature is written in a cursive style and is positioned above a horizontal line.

Signature



PSIA Compliance Tool Report

1. General Information

1.1 General Details

Tool executed scripts:	jython-script/PLAIBase
IP address:	localhost
Username:	Kostas
Domain:	KOSTAS-PC
Tool version:	3.1
Report generated:	Thu Jun 18 14:51:59 EEST 2020



2. Report Details

2.1 Script Status Result Details

Script Name	Status	Error	HashCode
AreaControl/CredentialHolders/info	SUCCESS	Missing non mandatory element: DomainName Missing non mandatory element: CreationDate Missing non mandatory element: ActiveFrom Missing non mandatory element: ActiveTill Missing non mandatory element: Disability	
AreaControl/Credentials/info	SUCCESS	No Errors	
AreaControl/Credentials/state	SUCCESS	No Errors	
CSEC/deviceOwnership	SUCCESS	No Errors	
CSEC/deviceOwnership/Reset	SUCCESS	No Errors	
Metadata/Stream	SUCCESS	No Errors	
profile	SUCCESS	No Errors	

2.2 User Settings

Script Name	Status
-------------	--------

System/Network/Interfaces	SecondaryDNSV6 : fe80::61cd:d6a5:90e2:352d% 10 subnetMask : 255.255.255.0 SecondaryDNS : 192.168.0.5 bitMask : 1.0.0.1 enableMulticast : true PrimaryDNS : 192.168.0.5 PrimaryDNSV6 : fe80::61cd:d6a5:90e2:352d% 10 DefaultGateway : 192.168.0.5 changeIp : 192.168.0.15 enableUPnP : true WAIT_TIME : 30 DefaultGatewayV6 : fe80::61cd:d6a5:90e2:352d% 10 IP_6 : fe80::61cd:d6a5:90e2:352d% 10
AreaControl/Credentials/state	Description : 'User 7' Card_ID : 1019909 PermissionID : 1
CSEC/AAA/users	UserCODE_ID : 1 NEWPASSWORD : pass CODE : 109 PASSWORD : password UPDATE_NAME : NewUser1 CODEClass : INTRUSION USER_NAME : NewUser UserPermissionGroupId : 1
AreaControl/Devices/Outputs/info	EXTERNAL : false
AreaControl/configuration	device_name : ip1223 IP_Address : 192.168.0.1
AreaControl/Devices/Inputs/info	EXTERNAL : false
System/reboot/time	Wait_Time : 30 RebootDelay_Millisecs : 10000
AreaControl/Devices/Outputs/instanceDescription	EXTERNAL : false
System/reboot	Sleep_Time : 30
AreaControl/Credentials/info	Description : 'User 2' Card_ID : 101231 PermissionID : 1

HashCode of entire scripts: da39a3ee5e6b4b0d3255bfe95601890afd80709

Script Status - Total Script(s) : 7 , Successful Script(s) : 7 , Failed Script(s) : 0